

Amendments to the Claims: This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A cable routing system facilitating interconnection between a computer system and a chassis that may be extended and retracted with respect to the computer system along at least one support member, said cable routing system comprising:

a folding arm assembly supported by the at least one support member such that said folding arm assembly is moveable between a retracted position when the chassis is retracted with respect to the computer system and an extended position when the chassis is extended with respect to the computer system, said folding arm assembly defining at least one channel for routing a cable between the chassis and the computer system; and

a strain relief supported by the at least one support member and positioned between said folding arm assembly and a termination point of the cable such that said strain relief substantially stabilizes the cable at the termination point, wherein the at least one support member includes two rail systems; and

a rail clip coupled to each of said two rail systems and configured for compression and expansion in at least one dimension thereof through actuation of a spring loaded mechanism included in said rail clip such that each of said rail clips is coupled to a respective one of said rail systems by engaging each of said spring loaded mechanisms with a respective aperture of each of said rail systems.

2. (Original) The cable routing system of claim 1 wherein the support member includes an chassis support member slidably engaged with a frame support member.

3. (Original) The cable routing system of claim 2 wherein the chassis and said strain relief are coupled to the chassis support member of the support member, and said folding arm assembly is coupled to the frame support member.

4. (Original) The cable routing system of claim 1 wherein said folding arm assembly includes at least two arm portions, each of said arm portions defining a portion of said channel.

5. (Original) The cable routing system of claim 4 wherein said at least two arm portions are hingedly coupled to one another, thereby facilitating guided movement of cables

held within said portions of said channel as the chassis is extended and retracted with respect to the computer system.

6. (Original) The cable routing system of claim 4 wherein at least one of said arm portions is hingedly coupled to said strain relief, and another of said arm portions is hingedly coupled to the support member, said one and said another of said arm portions being hingedly coupled to one another, such that as the chassis extends and retracts with respect to the computer system said strain relief moves along the support member with the chassis, and said arm portion hingedly coupled to said strain relief facilitates movement of said folding arm assembly between the extended and retracted position as the chassis extends and retracts with respect to the computer system.

7. (Currently Amended) The cable routing system of claim 1 ~~wherein the at least one support member includes two rail systems, said cable routing system additionally comprising a rail clip coupled to each of said two rail systems and a strut extending between said two rail clips, said strut at least partially supporting said folding arm assembly.~~

8. Cancelled

9. (Currently Amended) A computer system comprising:

a frame;

a chassis that may be extended and retracted with respect to said frame;

a support member along which said chassis is extended and retracted with respect to said frame;

a folding arm assembly at least partially supported by said support member such that said folding arm assembly is moveable between a retracted position when said chassis is retracted with respect to the frame and an extended position when said chassis is extended with respect to the frame, said folding arm assembly defining at least one channel for routing a cable between the chassis and said frame; and

a strain relief at least partially supported by said support member and positioned between said folding arm assembly and a termination point of the cable such that said strain relief substantially stabilizes the cable at the termination point; and

a rail clip coupled to said support member and configured for compression and expansion in at least one dimension thereof through actuation of a spring loaded mechanism included in said rail clip such that said rail clip is coupled to said support member.

10. (Original) The computer system of claim 9 wherein said support member includes a chassis support member slidingly engaged with a frame support member.

11. (Original) The computer system of claim 10 wherein said chassis and said strain relief are coupled to said chassis support member, and said folding arm assembly is coupled to said frame support member.

12. (Original) The computer system of claim 9 wherein said folding arm assembly includes at least two arm portions, each of said arm portions defining a portion of said channel.

13. (Original) The computer system of claim 12 wherein said at least two arm portions are hingedly coupled to one another, thereby facilitating guided movement of cables held within said portions of said channel as the chassis is extended and retracted with respect to the computer system.

14. (Original) The computer system of claim 12 wherein at least one of said arm portions is hingedly coupled to said strain relief, and another of said arm portions is hingedly coupled to said support member, said one and said another of said arm portions being hingedly coupled to one another, such that as the chassis extends and retracts with respect to the frame said strain relief moves along said support member with said chassis, and said arm portion being hingedly coupled to said strain relief facilitates movement of said folding arm assembly between the extended and retracted position as said chassis extends and retracts with respect to the computer system.

15. (Currently Amended) The computer system of claim 9 additionally comprising a ~~rail clip coupled to said support member and a~~ strut coupled to said support member, said strut at least partially supporting said folding arm assembly.

16. Cancelled

17. Cancelled

18. Cancelled

19. Cancelled

20. (Currently Amended) A support assembly for supporting a chassis that may be extended and retracted with respect to a frame, said support assembly comprising:

a rail system including a chassis portion and a frame portion, the chassis portion being coupled to the chassis and slidingly moveable with respect to said frame portion between a retracted position when the chassis is retracted with respect to the frame and an extended position when said chassis is extended with respect to the frame, said frame portion being configured to be coupled to the frame;

a plurality of arm portions hingedly connected to one another and extending between said chassis portion of said rail system and said frame portion of said rail system such that said arm portions are retracted with respect to one another when the chassis is retracted with respect to the frame, and said arm portions are extended with respect to one another when the chassis is extended with respect to the frame, each of said arm portions defining a channel configured to receive a cable; and

a strain relief positioned between said arm portions and the chassis, said strain relief substantially stabilizing a cable at the strain relief, the cable extending from the chassis to said channels defined by said arm portions; and

a rail clip coupled to said rail system and configured for compression and expansion in at least one dimension thereof through actuation of a spring loaded mechanism included in said rail clip such that said rail clip is coupled to said rail system.

21. Cancelled

22. (Previously Amended) The support assembly of claim 20 wherein said strain relief is coupled to said chassis portion such that said strain relief moves with the chassis during extension and retraction of the chassis with respect to the frame.

23. (Original) The support assembly of claim 20 wherein said rail system includes two of said chassis portion and two of said frame portion, each of said chassis portions being coupled to the chassis and slidingly engaged with a respective one of said frame portions, each of said frame portions being configured to be coupled to the frame such that said chassis

portions are moveable with respect to said frame portions between said retracted position when the chassis is retracted with respect to the frame and said extended position when said chassis is extended with respect to the frame.

24. (Original) The support assembly of claim 20 wherein said chassis portion is an inner portion of said rail system, and said frame portion is an outer portion of said rail system, said inner portion being slidably moveable with respect to said outer portion.

25. Cancelled

26. Cancelled

27. Cancelled

28. Cancelled

29. Cancelled